

GIS REGISTRY INFORMATION

SITE NAME: Former Trabert Property
BRRTS #: 03-64-097839 FID # (if appropriate):
COMMERCE # (if appropriate): 54557-9801-34
CLOSURE DATE: 8/7/03
STREET ADDRESS: 7553 CTH P
CITY: Presque Isle
SOURCE PROPERTY GPS COORDINATES (meters in WTM91 projection): X= 535688 Y= 1037605

CONTAMINATED MEDIA: Groundwater ☒ Soil ☐ Both ☐
OFF-SOURCE GW CONTAMINATION >ES: ☒ Yes ☐ No

IF YES, STREET ADDRESS 1: 7548 CTH P
GPS COORDINATES (meters in WTM91 projection): X= 535754 Y= 1037571

OFF-SOURCE SOIL CONTAMINATION >Generic or Site-Specific RCL (SSRCL): ☐ Yes ☒ No
IF YES, STREET ADDRESS 1: _____
GPS COORDINATES (meters in WTM91 projection): X= _____ Y= _____

CONTAMINATION IN RIGHT OF WAY: ☒ Yes ☐ No

DOCUMENTS NEEDED:

Closure Letter, and any conditional closure letter issued

Copy of most recent deed, including legal description, for all affected properties

Certified survey map or relevant portion of the recorded plat map (if referenced in the legal description) for all affected properties *N/A*
County Parcel ID number, if used for county, for all affected properties

Location Map which outlines all properties within contaminated site boundaries on USGS topographic map or plat map in sufficient detail to permit the parcels to be located easily (8.5x14" if paper copy). If groundwater standards are exceeded, the map must also include the location of all municipal and potable wells within 1200' of the site.

Detailed Site Map(s) for all affected properties, showing buildings, roads, property boundaries, contaminant sources, utility lines, monitoring wells and potable wells. (8.5x14", if paper copy) This map shall also show the location of all contaminated public streets, highway and railroad rights-of-way in relation to the source property and in relation to the boundaries of groundwater contamination exceeding ch. NR 140 ESs and soil contamination exceeding ch. NR 720 generic or SSRCLs.

Tables of Latest Groundwater Analytical Results (no shading or cross-hatching)

Tables of Latest Soil Analytical Results (no shading or cross-hatching)

Isoconcentration map(s), if required for site investigation (SI) (8.5x14" if paper copy). The isoconcentration map should have flow direction and extent of groundwater contamination defined. If not available, include the latest extent of contaminant plume map.

GW: Table of water level elevations, with sampling dates, and free product noted if present

GW: Latest groundwater flow direction/monitoring well location map (should be 2 maps if maximum variation in flow direction is greater than 20 degrees)

SOIL: Latest horizontal extent of contamination exceeding generic or SSRCLs, with one contour

Geologic cross-sections, if required for SI. (8.5x14" if paper copy)


RP certified statement that legal descriptions are complete and accurate

Copies of off-source notification letters (if applicable)

Letter informing ROW owner of residual contamination (if applicable)(public, highway or railroad ROW)

Copy of (soil or land use) deed restriction(s) or deed notice if any required as a condition of closure

N/A



State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES

Jim Doyle, Governor
Scott Hassett, Secretary
William H. Smith, Regional Director

Northern Region Headquarters
107 Sutliff Ave.
Rhineland, Wisconsin 54501
Telephone 715-365-8900
FAX 715-365-8932
TDD 715-365-8957

August 18, 2003

Mr. Don Rasmussen
2441 Willow Dr
Plover, WI 54467

SUBJECT: Final Case Closure By Closure Committee
Former Trabert Property, 7559 CTH P, Presque Isle, WI
WDNR BRRTS #: 03-64-097839
PECFA # 54557-9801-34

Dear Mr. Rasmussen :

On April 10, 2003, your site as described above was reviewed for closure by the Northern Region Closure Committee. This committee reviews environmental remediation cases for compliance with state laws and standards to maintain consistency in the closure of these cases. On April 23, 2003, you were notified that the case did not yet meet Department standards.

On August 7, 2003, the Department received correspondence indicating that you have complied with the conditions of closure, specifically, documentation of the abandonment of the monitoring wells and resubmittal of GIS Registry information. Based on the correspondence and data provided, it appears that your case has been remediated to Department standards in accordance with s. NR 726.05, Wis. Adm. Code. The Department considers this case closed and no further investigation, remediation or other action is required at this time.

Your site will be listed on the DNR Remediation and Redevelopment GIS Registry of Closed Remediation Sites. Information that was submitted with your closure request application will be included on the registry. To review the sites on the GIS Registry web page, visit <http://gomapout.dnr.state.wi.us/org/at/et/geo/gwur/index.htm>.

Please be aware that this case may be reopened pursuant to s. NR 726.09, Wis. Adm. Code, if additional information regarding site conditions indicates that contamination on or from the site poses a threat to public health, safety or welfare, or the environment.

The Department appreciates your efforts to restore the environment at this site. If you have any questions regarding this letter, please contact me at 715-365-8990.




Sincerely,
NORTHERN REGION

A handwritten signature in cursive script that reads "Janet Kazda".

Janet Kazda
Remediation and Redevelopment Program

cc: File

Jason Bartley
Draker Environmental
6980 N Teutonia Ave
Milwaukee, WI 53209



State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES

Jim Doyle, Governor
Scott Hassett, Secretary
William H. Smith, Regional Director

Northern Region Headquarters
107 Sutliff Ave.
Rhinelander, Wisconsin 54501-0818
Telephone 715-365-8900
FAX 715-365-8932
TDD 715-365-8957

April 23, 2003

Mr. Don Rasmussen
2441 Willow Dr
Plover, WI 54467

Subject: Former Trabert Property, 7553 CTH P, Presque Isle, WI
WDNR BRRTS # 03-64-097839
PECFA # 54557-9801-34

Dear Mr. Rasmussen:

On April 10, 2003, your request for closure of the case described above was reviewed by the Northern Region Closure Committee. The Closure Committee reviews environmental remediation cases for compliance with state rules and statutes to maintain consistency in the closure of these cases. After careful review of the closure request, the Closure Committee has determined that the case does not yet meet Department standards in accordance with s. NR 726.05, Wis. Adm. Code. The following issues must be addressed before closure can be granted:

- The monitoring wells at the site must be properly abandoned in compliance with ch. NR 141, Wis. Adm. Code. Documentation of well abandonment must be submitted to me on Form 3300-5B found at www.dnr.state.wi.us/org/water/dgw/gw/ or provided by the Department of Natural Resources.
- The materials submitted contained much confusing information and data regarding the Parcel ID numbers, most current deeds, and addresses for the two pieces of property affected by this contamination. For instance, the correct Parcel ID number for the Former Trabert property is 22-557. I spent considerable time working with the Presque Isle Town Treasurer and the Vilas County Tax Listing office attempting to understand what the correct data were. I personally paid for copies of the most current deeds for the properties. In the future, submittals of this nature will be returned without any further review or comment by the Department. At this time, the following actions are required in order to complete or correct the submitted information for the GIS Registry:
 1. Resubmit WTM coordinates for both pieces of property, identifying each coordinate with the current property owner's name and the current street address.
 2. Reissue the notification letter to the current off-site property owner, identifying the correct current street addresses for each property involved.
 3. Resubmit all site maps that are required for the GIS Registry showing the current correct street address (fire numbers) and current owner's names in the buildings that are on the maps.

When all materials are submitted, reviewed, and approved, you will receive a final closure letter



*Quality Natural Resources Management
Through Excellent Customer Service*



from the Department.

Your site will be listed on the DNR Remediation and Redevelopment GIS Registry of Closed Remediation Sites. Information that was submitted with your closure request application and information that you submit as required above will be included on the registry. To review the sites on the GIS Registry web page, visit

<http://gomapout.dnr.state.wi.us/org/at/et/geo/gwur/index.htm>.

If this is a PECFA site, section 101.143, Wis. Stats., requires that PECFA claimants seeking reimbursement of interest costs, for sites with petroleum contamination, submit a final reimbursement claim within 120 days after they receive a closure letter on their site. For claims not received by the PECFA Program within 120 days of the date of this letter, interest costs after 60 days of the date of this letter will not be eligible for PECFA reimbursement.


If you have any questions regarding this letter, please contact me at 715-365-8990.

Sincerely,
NORTHERN REGION




Janet Kazda
Remediation and Redevelopment Program

cc: File
Chuck Weister, Rhinelander



Jason Bartley
Drake Environmental
6980 N Teutonia Ave
Milwaukee, WI 53209



377881
Document Number

LVDL 1001 PAGE 330
STATE BAR OF WISCONSIN FORM 2 - 2000
WARRANTY DEED

This Deed, made between Don Rasmussen

Grantor,
and Marsha J. Rosenberg and Jack M. Paasch,
as tenants in common each to an undivided 1/2
interest and not as joint tenants

Grantee.
Grantor, for a valuable consideration, conveys and warrants to Grantee
the following described real estate in Vilas County,
State of Wisconsin: (if more space is needed, please attach addendum):
See reverse for legal description

TRANSFER
\$24.00
FEE \$3/1000

Exceptions to warranties:
reservations and restrictions of record

Dated this 4th day of October, 2001.

Don Rasmussen
* Don Rasmussen

AUTHENTICATION

Signature(s) _____

authenticated this _____ day of _____, _____

*
TITLE: MEMBER STATE BAR OF WISCONSIN
(If not, _____
authorized by § 706.06, Wis. Stats.)

THIS INSTRUMENT WAS DRAFTED BY

Margaret Johnson Wiessner
Presque Isle, Wisconsin
(Signatures may be authenticated or acknowledged. Both are
not necessary.)

*Names of persons signing in any capacity must be typed or printed below their signature.
WARRANTY DEED

STATE BAR OF WISCONSIN

Headwaters Real Estate PO Box 156, Presque Isle WI 54557-0156
Phone: (715) 686-2481

Fax: (715) 686-2964

Peggy Johnson Wiessner

Produced with ZipForm™ by RE FormsNet, LLC 18025 Fifteen Mile Road, Clinton Township, Michigan 48035, (800) 363-0805

RECORDED

OCT 12 2001

12:05 pm

Don Rasmussen
REGISTER OF DEEDS, VILAS CO., WI

VILAS TITLE SERVICE INC. 13. pd
P.O. BOX 1177
EAGLE RIVER, WI 54521

Recording Area

Name and Return Address
Margaret Johnson Wiessner
PO Box 156
Presque Isle, WI 54557

G2-6

Parcel Identification Number (PIN)

This is not homestead property.
(is) (is not)

ACKNOWLEDGMENT


STATE OF WISCONSIN)

) ss.

Portage County.)
Personally came before me this 4th day of
October, 2001 the above named

to me known to be the person _____ who executed
the foregoing instrument and acknowledged the same.

* Margaret Johnson Wiessner
Notary Public, State of Wisconsin
My Commission is permanent (if not, state expiration date:
10/1/03, 2003.)



FORM No. 2-2000

T5423762.ZFX

175-19745

RECORDED
0001400 553

A parcel of land located in Government Lot Two (2) in Section Eighteen (18), Township Forty-three (43) North, Range Six (6) East of the Fourth Principal Meridian, in the Town of Presque Isle, Vilas County, Wisconsin, described more particularly as follows, to-wit:

Commencing at the Northwest corner of said Government Lot 2; and thence running South along the West line of said Government Lot 2, a distance of 495 feet, to a point on said West line of said Government Lot 2, which is the PLACE OF BEGINNING of the land to be described; thence continuing South along the West line of said Government Lot 2, a distance of 200 feet; thence South 84° East on a line to the point where said line intersects the center line of the road known as the Presque Isle Road and which is also designated as County Trunk "P"; thence in a Northwesterly direction along the center line of said Road, a distance of 200 feet, more or less, to the point where the said center line of said Road intersects a line running South 84° East from the Point of Beginning; thence North 84° West on a line to the Point of Beginning.

Together with an EASEMENT FOR ACCESS to Presque Isle Lake, which easement is one rod in width, the North line of which is described as commencing at the Northeast corner of the parcel of land above described, being a point on the center line of the road known as the Presque Isle Road and also designated as County Trunk "P", and thence running South 84° East to the West shore of Presque Isle Lake.

DOCUMENT NO.

364262

WARRANTY DEED

VOL 925 PAGE 680

This Deed, made between Raymond Hanus and Margaret Hanus, not in tenancy in common but in joint tenancy

Grantor,
and DALE W. COX and JANET C. COX, husband and wife

Grantee,
Witnesseth, That the said Grantor, for a valuable consideration \$1.00 and other good and valuable consideration conveys to Grantee the following described real estate in Vilas County, State of Wisconsin:
See Exhibit "A" attached hereto

TRANSFER
\$427.50
FEE \$3/1000

RECORDED

JUL 25 2000

12:30 pm
J. Hanus
REGISTER OF DEEDS, VILAS CO., WI

THIS SPACE RESERVED FOR RECORDING DATA
NAME AND RETURN ADDRESS

VILAS TITLE SERVICE INC. 12. jsh
P.O. BOX 1177
EAGLE RIVER, WI 54521

Prt. G2-3
PARCEL IDENTIFICATION NUMBER

This is not homestead property.

Together with all and singular the hereditaments and appurtenances thereunto belonging:

And Grantor

warrants that the title is good, indefeasible in fee simple and free and clear of encumbrances except Subject to restrictions, reservations and easements of record, if any and zoning ordinances.

and will warrant and defend the same.

Dated this 18th day of July 2000

(SEAL)

Raymond Hanus (SEAL)

(SEAL)

* Raymond Hanus

(SEAL)

* Margaret Hanus (SEAL)

(SEAL)

* Margaret Hanus

AUTHENTICATION

Signature(s) _____

authenticated this _____ day of _____


TITLE: MEMBER STATE BAR OF WISCONSIN

(If not, _____
authorized by Section 706.06 Wis. Stats.)

THIS INSTRUMENT WAS DRAFTED BY

Lawrence E. Tyler
Thomas E. Lawrence II
For Vilas Title Service, Inc.
(per description furnished)

(Signatures may be authenticated or acknowledged. Both are not necessary.)



ACKNOWLEDGEMENT

State of Wisconsin)

Vilas County.) ss.

Personally came before me this _____ day of _____

the above named
Raymond Hanus and Margaret Hanus

to me known to be the person _____ who executed the foregoing instrument and acknowledge the same.

Patricia L. Werner
* PATRICIA L. WERNER

Notary Public Vilas County, WI.

My Commission is permanent. (If not, state expiration

date: Aug 10, 2003)

Names of persons signing in any capacity should be typed or printed below their signatures.



473-18393


Exhibit "A"

PARCEL A

A parcel of land in Government Lot Two (2), Section Eighteen (18), Township Forty-three (43) North, Range Six (6) East, Presque Isle Township, Vilas County, Wisconsin, being "-PARCEL A-" shown on Map No. 93-14 by Wilderness Surveying, Inc., dated July 26th, 1995, more particularly described as follows:

Commencing at the northwest corner of Section 18, marked by a brass capped iron pipe; thence South 84 degrees 41 minutes 46 seconds East for a distance of 1537.24 feet to the West Sixteenth Corner, marked by a capped aluminum monument; thence South 02 degrees 16 minutes 38 seconds West for a distance of 907.00 feet along the west line of Government Lot 2 to an iron pipe; thence South 84 degrees 41 minutes 46 seconds East for a distance of 794.71 feet to an iron pipe on the northerly line of that parcel of land described in Volume 124 of Deeds, on page 596; thence North 48 degrees 02 minutes 48 seconds East for a distance of 172.83 feet along the northerly line of that parcel of land described in Volume 124 of Deeds, on page 596 to the PLACE OF BEGINNING, marked by an iron pipe on the easterly right of way line of County Trunk Highway "P". Thence continuing North 48 degrees 02 minutes 48 seconds East for a distance of 119.14 feet along the northerly line of that parcel of land described in Volume 124 of Deeds, on page 596 to an iron pipe; thence North 73 degrees 39 minutes 04 seconds East for a distance of 169.34 feet along the northerly line of that parcel of land described in Volume 124 of Deeds, on page 596 to an iron pipe near the westerly shore of Presque Isle Lake; thence meandering along the lake North 05 degrees 51 minutes 41 seconds West for a distance of 137.11 feet to an iron pipe; thence North 84 degrees 41 minutes 46 seconds West for a distance of 350.96 feet to an iron pipe on the easterly right of way line of County Trunk Highway "P"; thence along said easterly right of way line of County Trunk Highway "P", along a curve to the left, having a radius of 821.85 feet and an arc length of 318.75 feet, being subtended by a chord of South 20 degrees 46 minutes 41 seconds East for a distance of 316.76 feet to the place of beginning. The above lateral lot lines extend to the shore of Presque Isle Lake, including the land lying between the lakeshore baseline and the water's edge.

Scale 1 : 3,644



Please read the documentation for more information.

▲ WTM coordinates: 535686, 637606

Former TRABERT Property


7553 CTH P.

Presque Isle, WI 54557

TAX PARCEL # 22-557

CURRENT owner: PAUL & MARSHA ROSENBERG

Scale 1 : 3,644




[Please read the documentation for more information.](#)

▲ WTM coordinates: 535734, 637581

Cox Property
7548 CTH P
Presque Isle, WI 54557


TAX Parcel# 22-557-01

CURRENT OWNER: DALE & JANET COX



PRINTED FROM MAPTECHS TOPOSCOUT PROGRAM ON CD

PAPOOSE LAKE - WISCONSIN
NE 1/4 NW 1/4 SEC 18 T43N R6E



TRABERT PROPERTY
REMEDIAL INVESTIGATION

PROJECT NO. J97117	PM JEB
TOPO CORDED DATE: 01/24/00	
CHKD BY: JEB	DATE: 5-1-00
APRVD BY: JEB	DATE: 5-1-00

VICINITY
DIAGRAM

FIGURE
1




TABLE 2 (Page 1 of 4)
Groundwater Analytical Results
Former Trabert Property
Presque Isle, Wisconsin

Well ID	Sampling Date	GRO (ppb)	Benzene (ppb)	Ethyl-Benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Toluene (ppb)	Combined Trimethyl-Benzenes (ppb)	Total Xylenes (ppb)	Dissolved Lead (ppb)
W-1/ES-1	03/13/98	63,000	11,000	2,100	< 32	410	20,000	1,880	9,500	15
	09/10/98	Not sampled due to the presence of free product.								
	07/21/99	19,000	1,200	220	< 11	180	4,700	1,090	4,500	< 2.8
	10/28/99	3,980	98.8	28.9	< 6.0	46.6	549	323	1,210	NA
	02/23/00	512	12.8	< 2.50	< 1.50	< 4.00	27.1	33.3	112	NA
	06/13/00	11,600	317	56.8	< 15.0	153	3,340	974	3,540	NA
	08/25/00	12,200	166	410	< 15	166	2,310	1,226	3,800	NA
	11/08/00	8,340	80.7	268	< 3.00	167	936	870	2,438	NA
	02/05/01	1,540	16.5	27.8	< 1.5	22.8	57.8	183.8	351	NA
	05/23/01	9,030	49.8	283	< 15.0	82.8	2,420	577	2,760	NA
W-2	03/13/98	< 50	< 0.27	< 0.32	< 0.32	< 0.35	< 0.27	< 0.49	< 0.67	< 1.6
	09/10/98	< 50	< 0.26	< 0.24	< 0.22	NA	< 0.21	< 1.4	< 1.34	NA
	07/21/99	< 50	< 0.26	< 0.24	< 0.22	< 0.89	< 0.21	< 1.4	< 1.34	NA
	10/28/99	< 50	< 0.15	< 0.5	< 0.3	NA	< 0.4	< 0.55	< 0.55	NA
	02/23/00	Well could not be located due to snow cover.								
	06/13/00	< 50.0	< 0.15	< 0.5	< 0.3	< 0.8	< 0.4	< 0.55	< 0.55	NA
	08/25/00	< 50.0	< 0.15	< 0.5	< 0.3	< 0.8	< 0.4	< 0.55	< 0.55	NA
ES PAL	11/08/00	< 50.0	< 0.15	< 0.5	< 0.3	< 0.8	< 0.4	< 0.55	< 0.55	NA
	5/23/01	< 50.0	< 0.16	< 0.5	< 0.3	< 0.8	< 0.4	< 0.57	< 0.57	NA
	-	NS	5	700	60	40	1,000	480	10,000	15
	-	NS	0.5	140	12	8	200	96	1,000	1.5

Note: Concentrations in bold type are above the WAC Chapter NR 140 PALs

Concentrations in bold and underlined type are above the WAC Chapter NR 140 ESs

Note: For a list of abbreviations used in this table, see the "Guide to Abbreviations in Data Tables" provided at the beginning of this appendix.

TABLE 2 (Page 2 of 4)
Groundwater Analytical Results
Former Trabert Property
Presque Isle, Wisconsin

Well ID	Sampling Date	GRO (ppb)	Benzene (ppb)	Ethyl-Benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Toluene (ppb)	Combined Trimethyl-Benzenes (ppb)	Total Xylenes (ppb)	Dissolved Lead (ppb)
W-3	03/13/98	<50	<0.27	<0.32	<0.32	0.74	0.4	0.72	0.83	<1.6
	09/10/98	<50	<0.26	<0.24	<0.22	NA	<0.21	<1.4	<1.34	NA
	07/21/99	<50	<0.26	<0.24	<0.22	<0.89	0.27	<1.4	<1.34	NA
	10/28/99	<50	<0.15	<0.5	<0.3	NA	<0.4	<0.55	<0.55	NA
	02/23/00	<50	<0.15	<0.5	<0.3	<0.8	<0.4	<0.55	<0.55	NA
	06/13/00	<50.0	<0.15	<0.5	<0.3	<0.8	<0.4	<0.55	<0.55	NA
	08/25/00	<50.0	<0.15	<0.5	<0.3	<0.8	<0.4	<0.55	<0.55	NA
	11/08/00	<50.0	<0.15	<0.5	<0.3	<0.8	<0.4	<0.55	<0.55	NA
W-4	5/23/01	<50.0	<0.16	<0.5	<0.3	<0.8	<0.4	<0.57	<0.57	NA
	3/13/98	8,100	2,900	370	<6.4	160	1,700	112	440	<1.6
	9/10/98	840	580	<1.2	1.3	NA	1.7	<7.0	14	NA
	7/21/99	710	400	<0.60	<0.55	6.5	0.91	<3.5	<3.32	NA
	10/28/99	195	126	<0.5	<0.3	<0.8	<0.4	<0.55	<0.55	NA
	2/23/00	175	111	<0.5	<0.3	<0.8	<0.4	<0.55	<0.55	NA
	6/13/00	196	140	<0.5	<0.3	<0.8	<0.4	<0.55	0.221	NA
	8/25/00	224	142	<0.5	<0.3	1.07	<0.4	<0.55	0.554	NA
ES PAL	11/8/00	156	105	<0.5	<0.3	<0.8	<0.4	<0.55	0.372	NA
	2/5/01	285	144	<2.5	<1.5	<4.0	<2.0	<2.75	<2.75	NA
	5/23/01	234	120	<2.5	<1.5	<4.0	<2.0	<2.85	<2.85	NA
		NS	5	700	60	40	1,000	480	10,000	15
		NS	0.5	140	12	8	200	96	1,000	1.5

Note: Concentrations in bold type are above the WAC Chapter NR 140 PALs
Concentrations in bold and underlined type are above the WAC Chapter NR 140 ESS
Note: For a list of abbreviations used in this table, see the "Guide to Abbreviations in Data Tables" provided at the beginning of this appendix.

TABLE 2 (Page 3 of 4)
Groundwater Analytical Results
Former Trabant Property
Presque Isle, Wisconsin

Well ID	Sampling Date	GRO (ppb)	Benzene (ppb)	Ethyl-Benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Toluene (ppb)	Combined Trimethyl-Benzenes (ppb)	Total Xylenes (ppb)	Dissolved Lead (ppb)
W-5	3/13/98	3,200	<u>8.6</u>	180	<0.80	55	110	590	316	<1.6
	9/10/98	290	4.2	4.5	4.4	NA	11	8.4	12.2	<1.8
	7/21/99	180	3.5	2.7	<0.22	3.2	6.5	15.6	9.9	NA
	10/28/99	<50	<0.15	<0.5	<0.3	<0.8	<0.4	<0.55	<0.55	NA
	2/23/00	Well could not be located due to snow cover.								
	6/13/00	<50	<0.15	<0.5	<0.3	<0.8	<0.4	<0.55	<0.55	NA
W-6	8/25/00	<50.0	<0.15	<0.5	<0.3	<0.8	<0.4	<0.55	<0.55	NA
	11/8/00	<50.0	<0.15	<0.5	<0.3	<0.8	<0.4	<0.55	<0.55	NA
	5/23/01	<50.0	<0.16	<0.5	<0.3	<0.8	<0.4	<0.57	<0.57	NA
	3/13/98	<50	<0.27	<0.32	<0.32	<0.35	<0.27	<0.49	<0.67	<1.8
	9/10/98	<50	<0.26	<0.24	<0.22	NA	<0.21	<1.4	<1.34	NA
	7/21/99	<50	<0.26	<0.24	<0.22	<0.89	<0.21	<1.4	<1.34	NA
	10/28/99	<50	<0.15	<0.5	<0.3	NA	<0.4	<0.55	<0.55	NA
	2/23/00	Well could not be located due to snow cover.								
	6/13/00	<50	<0.15	<0.5	<0.3	<0.8	<0.4	<0.55	<0.55	NA
	8/25/00	<50.0	<0.15	<0.5	<0.3	<0.8	<0.4	<0.55	<0.55	NA
	11/8/00	<50.0	<0.15	<0.5	<0.3	<0.8	<0.4	<0.55	<0.55	NA
	2/5/01	<50	<0.15	<0.5	<0.3	<0.8	<0.4	<0.55	<0.55	NA
ES PAL	-	NS	5	700	60	40	1,000	480	10,000	15
	-	NS	0.5	140	12	8	200	96	1,000	1.5

Note: Concentrations in bold type are above the WAC Chapter NR 140 PALs
Concentrations in bold and underlined type are above the WAC Chapter NR 140 ESs
Note: For a list of abbreviations used in this table, see the "Guide to Abbreviations in Data Tables" provided at the beginning of this appendix.


TABLE 2 (Page 4 of 4)
Groundwater Analytical Results
Former Trabert Property
Presque Isle, Wisconsin

Well ID	Sampling Date	GRO (ppb)	Benzene (ppb)	Ethyl-Benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Toluene (ppb)	Combined Trimethyl-Benzenes (ppb)	Total Xylenes (ppb)	Dissolved Lead (ppb)
W-7	3/13/98	<50	<0.27	<0.32	<0.32	<0.35	0.54	<0.49	<0.67	NA
	9/10/98	<50	<0.26	<0.24	<0.22	NA	<0.21	<1.4	<1.34	NA
	7/21/99	<50	<0.26	<0.24	<0.22	<0.89	0.25	<1.4	<1.34	NA
	10/28/99	<50	<0.15	<0.5	<0.3	NA	<0.4	<0.55	<0.55	NA
	2/23/00	<50	<0.15	<0.5	<0.3	<0.8	<0.4	<0.55	<0.55	NA
	6/13/00	<50	<0.15	<0.5	<0.3	<0.8	<0.4	<0.55	<0.55	NA
	8/25/00	<50.0	<0.15	<0.5	<0.3	<0.8	<0.4	<0.55	<0.55	NA
	11/8/00	<50.0	<0.15	<0.5	<0.3	<0.8	<0.4	<0.55	<0.55	NA
	5/23/01	<50.0	<0.16	<0.5	<0.3	<0.8	<0.4	<0.57	<0.57	NA
Hanus PW	4/22/90	NA	<0.27	<0.32	<0.32	<0.35	<0.27	<0.49	<0.67	NA
	7/21/99	<50	1.4	<0.24	<0.22	<0.89	<0.21	<1.4	<1.34	NA
	8/10/99	NA	<0.15	<0.15	NA	NA	<0.4	NA	<0.3	NA
	10/28/99	NA	<0.15	<0.15	NA	NA	<0.4	NA	<0.55	NA
	6/13/00	NA	<0.15	<0.5	<0.3	<0.8	<0.4	<0.55	<0.55	NA
Trabert P	3/13/98	<60	<0.27	<0.32	<0.32	<0.35	<0.27	<0.49	<0.67	<1.6
ES	-	NS	5	700	60	40	1,000	480	10,000	15
PAL	-	NS	0.5	140	12	8	200	96	1,000	1.5

Note: Concentrations in bold type are above the WAC Chapter NR 140 PALs

Concentrations in bold and underlined type are above the WAC Chapter NR 140 ESs

Note: For a list of abbreviations used in this table, see the "Guide to Abbreviations in Data Tables" provided at the beginning of this appendix.



TRABERT PROPERTY REMEDIAL INVESTIGATION	PROJECT NO. J97117 PA AJS	SOIL BORING AND MONITORING WELL LOCATIONS DIAGRAM	FIGURE 5
	DRAWN BY RV DATE: 12/15/97		
	CHKD BY DATE		
	APRVD BY DATE		

PRE-REMEDIATION SOIL
SAMPLING LOCATIONS (RI)

FILE: J7117C

B = BENZENE (PPB)
 T = TOLUENE (PPB)
 E = ETHYLBENZENE (PPB)
 X = XYLENES (PPB)
 N = NAPHTHALENE (PPB)
 GRO = GASOLINE RANGE ORGANICS (PPM)
 PPB = PARTS PER BILLION
 PPM = PARTS PER MILLION

B	<25
T	<25
E	<25
X	<25
N	<25
GRO	<2.8

EX-2
10 FEET

EX-11
5 FEET

B	<25
T	<25
E	<25
X	<25
N	<25
GRO	<2.8

EX-1
17 FEET

B	<25
T	<25
E	<25
X	<25
N	<25
GRO	<2.8

EX-5
12 FEET

B	62
T	550
E	100
X	414
N	54
GRO	<2.8

B	<25
T	<25
E	<25
X	<25
N	<25
GRO	<2.8

EX-12
5 FEET

B	<25
T	<25
E	<25
X	<25
N	<25
GRO	<2.8

EX-10
12.5 FEET

B	6,000
T	93,000
E	47,000
X	221,000
N	24,000
GRO	1,800

EX-9
12 FEET

EX-8
6 FEET


B	<25
T	<25
E	<25
X	<25
N	<25
GRO	<3.0

B	16,000
T	150,000
E	67,000
X	306,000
N	30,000
GRO	3,100

EX-7
13 FEET

EX-6
8 FEET

B	48
T	<25
E	<25
X	<25
N	<25
GRO	<2.8



TRABERT PROPERTY
REMEDATION

PROJECT NO J97117 PM JEB
 DRAWN BY RV DATE
 CHECKED BY JEB DATE 8-1-03
 APPROVD BY JEB DATE 8-1-03
 FILE J9711710 REV RV 06/20/00

EXCAVATION SOIL SAMPLE
 ANALYTICAL RESULTS DIAGRAM

FIGURE
4

Pre-Remediation Soil Sample Concentrations (from Report)

TABLE 4
Analytical Results Soil Samples — Excavated Soils
Former Trabert Property
Presque Isle, Wisconsin

Sample No.	T-7	T-28	T-38	T-51	EX-4	NR 720 Generic RCL
Sample Location	Excavated Soils	Excavated Soils	Excavated Soils	Excavated Soils	Excavated Soils	—
PID Reading (iu)	610	949	724	1,086	40	—
Parameter						
GRO (ppm)	110	340	5,400	54	<2.8	100
PVOCs (ppb)						
Benzene	<62	<130	25,000	63	75	5.5
Ethylbenzene	640	8,900	120,000	880	48	2,900
Methyl tert-butyl ether	<62	<130	12,000	<25	<25	NS
Naphthalene	1,900	8,200	55,000	1,800	<25	NS
Toluene	290	4,400	260,000	740	350	1,500
Total trimethylbenzenes	4,800	40,200	339,000	7,100	55	NS
Total xylenes	2,520	41,000	540,000	4,600	172	4,100

iu = instrument units
RCL = Residual contaminant level, as listed in WAC Chapter NR 720
ppm = parts per million
ppb = parts per billion
NS = No standard established
Notes: Concentrations in **bold** type exceed their respective WAC Chapter NR 720 generic RCLs.

POST-REMEDIATION SOIL SAMPLE CONCENTRATIONS (FURTHER REPORT)

TABLE 5
Analytical Results — In-Place Soils
Former Trabert Property
Presque Isle, Wisconsin

Sample No.	EX-1	EX-2	EX-5	EX-6	EX-7	EX-8	EX-9	EX-10	EX-11	EX-12	Generic RCLs
Excavation Location	West Base	West Wall	South Wall	East Wall	East Base	East Wall	East Base	North Base	North Wall	North Wall	—
Sample Depth (ft.)	17	10	12	8	13	6	12	12.5	5	5	—
PID Reading (iu)	13	12	196	49	926	248	723	87	4	14	—
Parameter											
GRO (ppm)	<2.8	<2.8	<2.8	<2.8	3,100	<3.0	1,800	<2.8	<2.8	<2.8	100
PVOCs (ppb)											
Benzene	<25	<25	62	48	16,000	<25	6,000	<25	<25	<25	5.5
Ethylbenzene	<25	<25	100	<25	67,000	<25	47,000	<25	<25	<25	2,900
Methyl tert-butyl ether	<25	<25	<25	<25	5,400	<25	<1,000	<25	<25	<25	NS
Naphthalene	<25	<25	54	<25	30,000	<25	24,000	<25	<25	<25	NS
Toluene	<25	<25	550	<25	150,000	<25	93,000	<25	<25	<25	1,500
Total trimethylbenzenes	<50	<50	131	<50	196,000	<50	146,000	<50	<50	<50	NS
Total xylenes	<50	<50	414	<50	306,000	<50	221,000	<50	<50	<50	4,100

iu = instrument units


RCL = Residual contaminant level, as listed in WAC Chapter NR 720

ppm = parts per million

ppb = parts per billion

NS = No standard established

Notes: Concentrations in **bold** exceed their respective WAC Chapter NR 720 generic RCLs.



TRABERT PROPERTY REMEDIAL INVESTIGATION	PROJECT NO J97117	PM JEB	ESTIMATED EXTENT OF GROUNDWATER CONTAMINATION EXCEEDING ESs DIAGRAM	FIGURE 8
	DRAWN BY RV	DATE		
	CHECKED BY JEB	DATE 6-5-03		
	APPRVD BY JEB	DATE 6-5-03		
	FILE J97117H	REV RV 6/20/00		

TABLE 1 (Page 1 of 3)
Groundwater Elevations
Former Trabert Property
Presque Isle, Wisconsin

Well Number	Date	Total Well Depth	Ground Surface Elevation	Top of Casing Elevation	Depth to Water Below Casing	Depth to Water Below Ground	Groundwater Elevation
W-1	3/13/98	17.60	99.39	99.13	11.86	12.12	87.27
	5/17/98				11.00	11.26	88.13
	9/10/98				12.17	12.43	86.96
	5/9/99				Well removed during excavation.		
ES-1	5/9/99	Sump installed within excavation backfill.					
	5/26/99	17.50	99.18	98.70	10.90	11.38	87.80
	7/21/99				14.84	15.32	83.86
	10/28/99				16.20	16.68	82.50
	2/23/00				16.88	17.36	81.82
	6/13/00				15.29	15.77	83.41
	8/25/00				13.82	14.30	84.88
	11/8/00				15.23	15.71	83.47
	2/5/01				16.15	16.63	82.55
	5/23/01				12.21	12.69	86.49
W-2	3/13/98	15.70	99.11	98.85	11.40	11.66	87.45
	5/17/98				9.93	10.19	88.92
	9/10/98				11.44	11.70	87.41
	5/26/99				9.59	9.85	89.26
	7/21/99				9.96	10.22	88.89
	10/28/99				11.97	12.23	86.88
	2/23/00				Well not located due to snow cover.		
	6/13/00				11.16	11.42	87.69
	8/25/00				10.98	11.24	87.87
	11/8/00				12.21	12.47	86.64
	2/5/01				13.25	13.51	85.60
	5/23/01				9.72	9.98	89.13
	W-3	3/13/98	17.80	99.60	99.41	11.80	11.99
5/17/98		10.94				11.13	88.47
9/10/98		12.00				12.19	87.41
5/26/99		11.30				11.49	88.11
7/21/99		12.36				12.55	87.05
10/28/99		12.85				13.04	86.56
2/23/00		13.82				14.01	85.59
6/13/00		13.01				13.20	86.40
8/25/00		12.00				12.19	87.41
11/8/00		12.59				12.78	86.82
2/5/01		13.67				13.86	85.74
5/23/01		11.38				11.57	88.03

*Measured from the north rim of the top of well casing.

All measurements are presented in feet.

Benchmark: Elevations are referenced to a benchmark assigned an arbitrary elevation of 100.00

Note: For a list of abbreviations used in this table, see the "Guide to Abbreviations in Data Table provided at the beginning of this appendix.

TABLE 1 (Page 2 of 3)
Groundwater Elevations
Former Trabert Property
Presque Isle, Wisconsin

Well Number	Date	Total Well Depth	Ground Surface Elevation	Top of Casing Elevation	Depth to Water Below Casing	Depth to Water Below Ground	Groundwater Elevation
W-4	3/13/98	21.50	99.58	99.22	16.78	17.14	82.44
	5/17/98				16.55	16.91	82.67
	9/10/98				17.21	17.57	82.01
	5/26/99				NM	NM	NM
	7/21/99				17.00	17.36	82.22
	10/28/99				17.44	17.80	81.78
	2/23/00				17.70	18.06	81.52
	6/13/00				15.46	15.82	83.76
	8/25/00				17.10	17.46	82.12
	11/8/00				17.32	17.68	81.90
	2/5/01				17.43	17.79	81.79
	5/23/01				16.88	17.24	82.34
W-5	3/13/98	17.60	98.82	98.69	10.94	11.07	87.75
	5/17/98				10.08	10.21	88.61
	9/10/98				11.39	11.52	87.30
	5/26/99				8.35	8.48	90.34
	7/21/99				9.17	9.30	89.52
	10/28/99				12.45	12.58	86.24
	2/23/00	Well not located due to snow cover.					
	6/13/00				11.20	11.33	87.49
	8/25/00				11.20	11.33	87.49
	11/8/00				12.17	12.30	86.52
	2/5/01				12.73	12.86	85.96
	5/23/01				9.50	9.63	89.19
W-6	5/17/98	17.60	98.89	98.56	10.53	10.86	88.03
	9/10/98				11.76	12.09	86.80
	5/26/99				NM	NM	NM
	7/21/99				10.45	10.78	88.11
	10/28/99				11.79	12.12	86.77
	2/23/00	Well not located due to snow cover.					
	6/13/00				11.92	12.25	86.64
	8/25/00				11.00	11.33	87.56
	11/8/00				12.01	12.34	86.55
	2/5/01				12.82	13.15	85.74
	5/23/01				10.68	11.01	87.88

*Measured from the north rim of the top of well casing.

All measurements are presented in feet.

Benchmark: Elevations are referenced to a benchmark assigned an arbitrary elevation of 100.00

Note: For a list of abbreviations used in this table, see the "Guide to Abbreviations in Data Table provided at the beginning of this appendix.

TABLE 1 (Page 3 of 3)
Groundwater Elevations
Former Trabert Property
Presque Isle, Wisconsin

Well Number	Date	Total Well Depth	Ground Surface Elevation	Top of Casing Elevation	Depth to Water Below Casing	Depth to Water Below Ground	Groundwater Elevation
W-7	5/17/98	20.50	98.80	101.39	12.97	10.38	88.42
	9/10/98				14.53	11.94	86.86
	5/26/99				NM	NM	NM
	7/21/99				11.82	9.23	89.57
	10/28/99				14.32	11.73	87.07
	2/23/00				17.11	14.52	84.28
	6/13/00				14.36	11.77	87.03
	8/25/00				14.25	11.66	87.14
	11/8/00				15.82	13.23	85.57
	2/5/01				16.85	14.26	84.54
	5/23/01				12.89	10.30	88.50


Date	Flow Direction	Hydraulic Gradient (ft/ft)
3/13/98	east-southeast	0.007-0.023
5/17/98	east-southeast	0.003-0.020
9/10/98	southeast	0.007
5/26/99	east-northeast	0.029
7/21/99	northeast	0.014-0.038
10/28/99	northeast	0.004-0.007
2/23/00	east-southeast	0.071
6/13/00	east-southeast	0.057
8/25/00	east-southeast	0.043
11/8/00	southeast	0.04
2/5/01	east-southeast	0.038
5/23/01	east-southeast	0.06


*Measured from the north rim of the top of well casing.

All measurements are presented in feet.

Benchmark: Elevations are referenced to a benchmark assigned an arbitrary elevation of 100.00

Note: For a list of abbreviations used in this table, see the "Guide to Abbreviations in Data Table provided at the beginning of this appendix.





TRABERT PROPERTY
REMEDIAL INVESTIGATION

PROJECT NO. J97117 PM JEB
DRAWN BY RV DATE 8-1-00
CHECKED BY JES DATE 8-1-00
APPROVED BY JES DATE 8-1-00
FILE J97117 REV RV 6/29/00

ESTIMATED EXTENT OF SOIL
CONTAMINATION REMAINING IN
PLACE DIAGRAM

FIGURE


5



SCALE



- BORING LOCATION WITH PID READINGS
- MONITORING WELL LOCATION WITH PID READINGS
- ▼ • GROUNDWATER LEVEL



TRABERT PROPERTY
REMEDIAL INVESTIGATION

PROJECT NO J97117 PA AJS
DRAWN BY RV DATE: 07/08/98
CHKD BY DATE
APRVD BY DATE

CROSS SECTION
DIAGRAM

FIGURE
10

Rasmussen Plumbing & Heating

2441 Willow Drive • Plover, Wisconsin 54467 • (715) 341-4893 • FAX (715) 341-5002

Don Rasmussen

January 14, 2003

Wisconsin DNR:


RE: Former Trabert Property in Presque Isle, Wisconsin.
Wisconsin PECFA Claim number 54557-9801-34

Legal description of property as described on volume 799 page 680 is accurate and correct to the best of my knowledge.

Thank you,



Donald Rasmussen



July 8, 2003



Dale and Janet Cox
1937 Braintree Road
Davis, IL 61019

RE: Correction to the Notification of Potential Off-Site Petroleum Contamination
Associated with the Former Trabert Property located in Presque Isle, Wisconsin.
(File references: Commerce # 54557-9801-34 and BRRTS # 03-64-097839)

Dear Mr. and Mrs. Cox:

On behalf of Mr. Don Rasmussen (former property owner), Drake Environmental, Inc. submits this letter to correct information submitted in our December 23, 2002 letter. Our December 2002 letter notified you of the potential presence of off-site petroleum contamination beneath your property located at 7548 CTH P in Presque Isle, Wisconsin. The address of the source property indicated in the December 2002 letter (7514 CTH P) was incorrect. The actual address of the source property is 7553 CTH P. The Wisconsin Department of Natural Resources (DNR) granted conditional closure for the site in a letter dated April 23, 2003. The conditions of the closure included submitting this letter to you and abandoning the monitoring wells associated with the source property. In accordance with the DNR approval, Drake abandoned the monitoring wells on your property as well as the source property on May 14, 2003. The remainder of the language of this letter is similar to the December 2002 letter in order to satisfy the DNR requirements.

Groundwater contamination that appears to have originated on the property located at 7553 CTH P has migrated beneath the right-of-way of CTH P, and has potentially migrated beneath your property. The levels of petroleum contamination in the groundwater beneath the right-of-way are above the state groundwater enforcement standards (ESs) found in chapter NR 140, Wisconsin Administrative Code. However, based on the information obtained during the site investigation and subsequent remediation, the DNR has stated that the groundwater plume appears to be stable or receding and will naturally degrade over time. Remediation by Natural Attenuation (RNA) should complete the cleanup at this site to meet the requirements for case closure that are found in chapters NR 726 and NR 746, Wisconsin Administrative Code. As mentioned above, the DNR has granted conditional case closure for this site, and is not requiring any further investigation or cleanup action, other than the reliance on natural attenuation.

6980 North Teutonia Avenue
Milwaukee, WI 53209-2536
(414) 351-1440
1-800-853-8440
Fax: (414) 351-1404

Since you do not own the source of the groundwater contamination, you will not be held responsible for investigation or cleanup of this groundwater contamination, as long as you comply with the requirements of section 292.13, Wisconsin Statutes, including allowing access to your property for environmental investigation or cleanup if access is required in the future. For further information on the requirements of section 292.13, Wisconsin Statutes, you may call 1-800-367-6076 for calls originating in Wisconsin, or 608-264-6020 if you are calling from out of state or within the Madison area, to obtain a copy of the Department of Natural Resources' (DNR) publication #RR-589, Fact Sheet 10: Guidance for Dealing With Properties Affected by Off-Site Contamination.


You have a right to contact the DNR to provide any technical information that you may have that indicates that closure should not be granted for this site. If you would like to submit any information to the DNR that is relevant to this closure request, you should mail that information to: Mr. Chuck Weister, Wisconsin Department of Natural Resources, 107 Sutliff Avenue, Rhinelander, Wisconsin 54501.


Once the conditions of closure are met, the DNR will issue a final closure letter to Mr. Rasmussen. You may obtain copies of the conditional closure letter and final closure letter by requesting a copy by writing to the DNR address given above or by accessing the DNR GIS Registry of Closed Remediation Sites on the Internet at www.dnr.state.wi.us/org/at/et/geo/gwur. A copy of the closure letter is included as part of the site file on the GIS Registry of Closed Remediation Sites.

If you need more information, you may contact us at (414) 351-1440, or you may contact Mr. Chuck Weister at (715) 365-8941.

Respectfully,

DRAKE ENVIRONMENTAL, INC.


Jason E. Bartley
Project Manager


Richard W. Friesseke, P.E.
President

J97117AD

July 8, 2003



Mr. Jim Fischer
Highway Commissioner
Vilas County Highway Department
Post Office Box 1568
Rhineland, WI 54521

RE: Notification of Off-Site Petroleum Contamination Located Beneath the Right-Of-Way Adjacent to the Former Trabert Property located in Presque Isle, Wisconsin.
(File references: Commerce # 54557-9801-34 and BRRTS # 03-64-097839)

Dear Mr. Fischer:

On behalf of Mr. Don Rasmussen (former property owner), Drake Environmental, Inc. submits this letter to correct information submitted in our December 23, 2002 letter. Our December 2002 letter notified you of the presence of off-site petroleum contamination beneath the right-of-way of County Trunk Highway (CTH) P. The address of the source property indicated in the December 2002 letter (7514 CTH P) was incorrect. The actual address of the source property is 7553 CTH P. The Wisconsin Department of Natural Resources (DNR) granted conditional closure for the site in a letter dated April 23, 2003. The conditions of the closure included submitting this letter to you and abandoning the monitoring wells associated with the source property. In accordance with the DNR approval, Drake abandoned the monitoring well located in the right-of-way as well as the source property on May 14, 2003. The remainder of the language of this letter is very similar to the December 2002 letter in order to satisfy the DNR requirements.

Groundwater contamination that appears to have originated on the property located at 7553 CTH P has migrated beneath the right-of-way of CTH P. The levels of petroleum contamination in the groundwater beneath the right-of-way are above the state groundwater enforcement standards (ESs) found in chapter NR 140, Wisconsin Administrative Code. However, based on the information obtained during the site investigation and subsequent remediation, the Wisconsin Department of Natural Resources (DNR) has stated that the groundwater plume appears to be stable or receding and will naturally degrade over time. Remediation by Natural Attenuation (RNA) should complete the cleanup at this site to meet the requirements for case

6980 North Teutonia Avenue
Milwaukee, WI 53209-2536
(414) 351-1440
1-800-853-8440
Fax: (414) 351-1404

closure that are found in chapters NR 726 and NR 746, Wisconsin Administrative Code. As mentioned above, the DNR has granted conditional case closure for this site, and is not requiring any further investigation or cleanup action, other than the reliance on natural attenuation.


Since the County does not own the source of the groundwater contamination, the County will not be held responsible for investigation or cleanup of this groundwater contamination, as long as the County complies with the requirements of section 292.13, Wisconsin Statutes, including allowing access to the right-of-way for environmental investigation or cleanup if access is required in the future. For further information on the requirements of section 292.13, Wisconsin Statutes, you may call 1-800-367-6076 for calls originating in Wisconsin, or 608-264-6020 if you are calling from out of state or within the Madison area, to obtain a copy of the Department of Natural Resources' (DNR) publication #RR-589, Fact Sheet 10: Guidance for Dealing With Properties Affected by Off-Site Contamination.


Once the conditions of closure are met, the DNR will issue a final closure letter to Mr. Rasmussen. You may obtain copies of the conditional closure letter and final closure letter by requesting a copy by writing to the DNR address given above or by accessing the DNR GIS Registry of Closed Remediation Sites on the Internet at www.dnr.state.wi.us/org/at/et/geo/gwur. A copy of the closure letter is included as part of the site file on the GIS Registry of Closed Remediation Sites.

If you need more information, you may contact us at (414) 351-1440, or you may contact Mr. Chuck Weister at (715) 365-8941.

Respectfully,

DRAKE ENVIRONMENTAL, INC.


Jason E. Bartley
Project Manager


Richard W. Frieske, P.E.
President

J97117AE